

## PRODUCT BROCHURE

# MEASURING INSTRUMENTS FK 25

Date: 24.03.2026

ENGLISH



Robust, digital force gauge for tensile and compressive force measurements

## CONTACT

KERN & SOHN GmbH  
Ziegelei 1  
72336 Balingen  
Germany

Phone : +49 7433 9933-0  
Fax : +49 7433 9933-149  
Email : [info@kern-sohn.com](mailto:info@kern-sohn.com)  
Web : [www.kern-sohn.com](http://www.kern-sohn.com)



Scan here for more  
information

## PRODUCT SHOWCASE



## DESCRIPTION

- Turnable display: automatic direction identification
- Secure operability due to the ergonomic design
- Peak-Hold function to capture peaks (value is “frozen” for approx. 10 seconds) or Track function mode for a continuous measurement indication
- Selectable measuring units: N, lbf, kg, ozf
- Auto-Power-Off
- Standard attachments as shown, extension rod: 90 mm
- Can be mounted on all SAUTER test stands up to 5 kN

## SPECIFICATIONS

### Article codes, product groups & Status information

Model article-code	FK 25
Model-Serie	FK
Assortment	Sauter
Product Type	Force measurement
Product group	Digital force-measuring devices (internal sensor)
Product usage type	Main article
EAN code (Model)	4045761139510
Predecessor Model	FK 25-2019a
Customs tariff number	90248000

### Technical data - Primary

Max. Force	25 N
Readability	0.01 N

### Technical data - Display

Display type	LCD
Display digit height	18 mm
DisplayReverse	yes

### Technical data - Power supply

Power supply	Power supply & battery included
Battery type	Alkali(-Manganese)
Mains adapter/adapter included	CH;EURO;UK;US
Protection Class	no protection class

### Technical data - Measuring system

Units	N
Tolerance (% from Max.)	0.5%
Force direction	compression;tension

### Technical data - Functions

Hold-Function	yes
Peak-Function	yes

### Technical data - Environmental conditions

Maximum operating temperature	30 °C
Minimum storage temperature	60 °C

### Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	260×250×80 mm
Gross weight	1.00 kg
Net weight	0.60 kg
Shipping method	Parcel service
UN number	Drycell (UN number Alkaline: none, NiMH: 3496 - Packing instruction #1)
Packaging component - by weight - paper	16 g
Packaging component - by weight - cardboard	584 g
Packaging component - by weight - plastics	4 g

Packaging component - by weight - styrofoam	148 g
Packaging component - by weight - foam	73 g
Delivery time	1 d

### Optional Services

DAkkS calibration - push/pull	963-3610
DAkkS calibration - push only	963-2610
DAkkS calibration - pull only	963-1610

### FUNCTIONS

Standard

Option

### ACCESSORIES

Model	Description
<a href="#">AC 02</a>	Stainless steel ball-shaped head SAUTER AC 02
<a href="#">AC 14</a>	Screw Tension Clamp SAUTER AC 14
<a href="#">AC 22</a>	Fine point clamp SAUTER AC 22
<a href="#">AC 17</a>	Long clamp SAUTER AC 17
<a href="#">AFK 02</a>	Stainless steel handle bar SAUTER AFK 02
<a href="#">FK-A01</a>	Attachments SAUTER FK-A01
<a href="#">AC 430</a>	Standard attachments AC 430
<a href="#">AC 01R</a>	Screw Tension Clamp SAUTER AC 01R
<a href="#">AC 14R</a>	Screw Tension Clamp SAUTER AC 14R

Model	Description
<a href="#"><u>AC 17R</u></a>	Long clamp SAUTER AC 17R
<a href="#"><u>AC 22R</u></a>	Fine point clamp SAUTER AC 22R
<a href="#"><u>AE 500</u></a>	Screw Tension Clamp SAUTER AE 500
<a href="#"><u>AFM 22</u></a>	Adapter KERN AFM 22
<a href="#"><u>AFM 23</u></a>	Sleeve SAUTER AFM 23
<a href="#"><u>FS TKZ</u></a>	Transport case SAUTER FS TKZ
<a href="#"><u>AE 01</u></a>	Standard Clamp AE 01
<a href="#"><u>AE 02</u></a>	Standard Clamp AE 02
<a href="#"><u>AE 03</u></a>	Clamp SAUTER AE 03
<a href="#"><u>AE 04</u></a>	Clamp SAUTER AE 04
<a href="#"><u>AE 05</u></a>	Rope and thread tension clamp SAUTER AE 05
<a href="#"><u>AE 06</u></a>	Cable removal clamp SAUTER AE 06
<a href="#"><u>AE 07</u></a>	Wedge Clamp with jaws AE 07
<a href="#"><u>AC 45</u></a>	Force sensor SAUTER AC 45
<a href="#"><u>AC 46</u></a>	Force sensor SAUTER AC 46
<a href="#"><u>AC 47</u></a>	Force sensor SAUTER AC 47

## SERVICES

Model	Description
<a href="#"><u>AC 02</u></a>	Stainless steel ball-shaped head SAUTER AC 02
<a href="#"><u>AC 14</u></a>	Screw Tension Clamp SAUTER AC 14
<a href="#"><u>AC 22</u></a>	Fine point clamp SAUTER AC 22
<a href="#"><u>AC 17</u></a>	Long clamp SAUTER AC 17
<a href="#"><u>AFK 02</u></a>	Stainless steel handle bar SAUTER AFK 02
<a href="#"><u>FK-A01</u></a>	Attachments SAUTER FK-A01
<a href="#"><u>AC 430</u></a>	Standard attachments AC 430
<a href="#"><u>AC 01R</u></a>	Screw Tension Clamp SAUTER AC 01R
<a href="#"><u>AC 14R</u></a>	Screw Tension Clamp SAUTER AC 14R
<a href="#"><u>AC 17R</u></a>	Long clamp SAUTER AC 17R
<a href="#"><u>AC 22R</u></a>	Fine point clamp SAUTER AC 22R
<a href="#"><u>AE 500</u></a>	Screw Tension Clamp SAUTER AE 500

Model	Description
<a href="#"><u>AFM 22</u></a>	Adapter KERN AFM 22
<a href="#"><u>AFM 23</u></a>	Sleeve SAUTER AFM 23
<a href="#"><u>FS TKZ</u></a>	Transport case SAUTER FS TKZ
<a href="#"><u>AE 01</u></a>	Standard Clamp AE 01
<a href="#"><u>AE 02</u></a>	Standard Clamp AE 02
<a href="#"><u>AE 03</u></a>	Clamp SAUTER AE 03
<a href="#"><u>AE 04</u></a>	Clamp SAUTER AE 04
<a href="#"><u>AE 05</u></a>	Rope and thread tension clamp SAUTER AE 05
<a href="#"><u>AE 06</u></a>	Cable removal clamp SAUTER AE 06
<a href="#"><u>AE 07</u></a>	Wedge Clamp with jaws AE 07
<a href="#"><u>AC 45</u></a>	Force sensor SAUTER AC 45
<a href="#"><u>AC 46</u></a>	Force sensor SAUTER AC 46
<a href="#"><u>AC 47</u></a>	Force sensor SAUTER AC 47

## SPARE PARTS

Model	Description
<a href="#"><u>AC 02</u></a>	Stainless steel ball-shaped head SAUTER AC 02
<a href="#"><u>AC 14</u></a>	Screw Tension Clamp SAUTER AC 14
<a href="#"><u>AC 22</u></a>	Fine point clamp SAUTER AC 22
<a href="#"><u>AC 17</u></a>	Long clamp SAUTER AC 17
<a href="#"><u>AFK 02</u></a>	Stainless steel handle bar SAUTER AFK 02
<a href="#"><u>FK-A01</u></a>	Attachments SAUTER FK-A01
<a href="#"><u>AC 430</u></a>	Standard attachments AC 430
<a href="#"><u>AC 01R</u></a>	Screw Tension Clamp SAUTER AC 01R
<a href="#"><u>AC 14R</u></a>	Screw Tension Clamp SAUTER AC 14R
<a href="#"><u>AC 17R</u></a>	Long clamp SAUTER AC 17R
<a href="#"><u>AC 22R</u></a>	Fine point clamp SAUTER AC 22R
<a href="#"><u>AE 500</u></a>	Screw Tension Clamp SAUTER AE 500
<a href="#"><u>AFM 22</u></a>	Adapter KERN AFM 22
<a href="#"><u>AFM 23</u></a>	Sleeve SAUTER AFM 23
<a href="#"><u>FS TKZ</u></a>	Transport case SAUTER FS TKZ

Model	Description
<a href="#"><u>AE 01</u></a>	Standard Clamp AE 01
<a href="#"><u>AE 02</u></a>	Standard Clamp AE 02
<a href="#"><u>AE 03</u></a>	Clamp SAUTER AE 03
<a href="#"><u>AE 04</u></a>	Clamp SAUTER AE 04
<a href="#"><u>AE 05</u></a>	Rope and thread tension clamp SAUTER AE 05
<a href="#"><u>AE 06</u></a>	Cable removal clamp SAUTER AE 06
<a href="#"><u>AE 07</u></a>	Wedge Clamp with jaws AE 07
<a href="#"><u>AC 45</u></a>	Force sensor SAUTER AC 45
<a href="#"><u>AC 46</u></a>	Force sensor SAUTER AC 46
<a href="#"><u>AC 47</u></a>	Force sensor SAUTER AC 47

## RELATED ARTICLES DATA

Model name	Max. Force	Readability
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 10</u></a>	10 N	0.005 N
<a href="#"><u>FK 25</u></a>	25 N	0.01 N
<a href="#"><u>FK 25</u></a>	25 N	0.01 N
<a href="#"><u>FK 25</u></a>	25 N	0.01 N
<a href="#"><u>FK 25</u></a>	25 N	0.01 N
<a href="#"><u>FK 25</u></a>	25 N	0.01 N

Model name	Max. Force	Readability
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 25</u></b>	25 N	0.01 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 50</u></b>	50 N	0.02 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N
<b><u>FK 100</u></b>	100 N	0.05 N

ENGLISH



<b>Model name</b>	<b>Max. Force</b>	<b>Readability</b>
<b><u>FK 500</u></b>	500 N	0.2 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N
<b><u>FK 1K</u></b>	1 kN	0.5 N

ENGLISH